



News Release

FDA Grants Orphan Drug Designation to Puma Biotechnology’s NERLYNX® for the Treatment of Breast Cancer Patients with Brain Metastases

LOS ANGELES, Calif., Sept. 3, 2019 – Puma Biotechnology, Inc. (Nasdaq: PBYI) announced that the U.S. Food and Drug Administration (FDA) has granted Orphan Drug Designation to NERLYNX® (neratinib) for the treatment of breast cancer patients with brain metastases.

“Receiving Orphan Drug Designation from the FDA signifies our continued progress and commitment to developing treatments for patients with HER2-positive breast cancer,” said Alan H. Auerbach, Chairman, Chief Executive Officer and President of Puma. “Despite expanded treatment options for HER2-positive breast cancer, brain metastases in these patients represent a significant clinical challenge, as well as sources of morbidity and mortality for most of these patients. The blood-tumor penetrability of NERLYNX represents a potential treatment option for these underserved patients.”

The FDA Orphan Drug Designation program grants orphan designation to investigational drugs designed to treat, prevent, or diagnose rare medical diseases or conditions that affect fewer than 200,000 individuals in the United States. Orphan designation qualifies sponsors for several key benefits and incentives, including opportunities for grant funding towards clinical trial costs, tax credits, user fee waivers, and the potential for a seven-year period of marketing exclusivity upon FDA approval of the investigational drug for the indication for which it has orphan designation.

About HER2-Positive Breast Cancer

Approximately 20 to 25 percent of breast cancer tumors over-express the HER2 protein. HER2-positive breast cancer is often more aggressive than other types of breast cancer, increasing the risk of disease progression and death. Although research has shown that trastuzumab can reduce the risk of early stage HER2-positive breast cancer returning after surgery, up to 25% of patients treated with trastuzumab experience recurrence.

About Puma Biotechnology

Puma Biotechnology, Inc. is a biopharmaceutical company with a focus on the development and commercialization of innovative products to enhance cancer care. Puma in-licenses the global development and commercialization rights to three drug candidates — PB272 (neratinib, oral), PB272 (neratinib, intravenous) and PB357. Neratinib, oral was approved by the U.S. Food and Drug Administration in July 2017 for the extended adjuvant treatment of adult patients with early stage HER2-overexpressed/amplified breast cancer, following adjuvant trastuzumab-based therapy, and is marketed in the United States as NERLYNX® (neratinib) tablets. NERLYNX was granted marketing authorization by the European Commission in September 2018 for the extended adjuvant treatment of adult patients with early stage hormone receptor-positive HER2-overexpressed/amplified breast cancer and who are less than one year from completion of prior adjuvant trastuzumab-based therapy. NERLYNX is a registered trademark of Puma Biotechnology, Inc.

Further information about Puma Biotechnology may be found at www.pumabiotechnology.com.

Important Safety Information Regarding NERLYNX® (neratinib) U.S. Indication

NERLYNX® (neratinib) tablets, for oral use

INDICATIONS AND USAGE: NERLYNX is a kinase inhibitor indicated for the extended adjuvant treatment of adult patients with HER2 overexpressed/amplified breast cancer, to follow adjuvant trastuzumab-based therapy.

CONTRAINDICATIONS: None

WARNINGS AND PRECAUTIONS:

- **Diarrhea:** Aggressively manage diarrhea occurring despite recommended prophylaxis with additional antidiarrheals, fluids, and electrolytes as clinically indicated. Withhold NERLYNX in patients experiencing severe and/or persistent diarrhea. Permanently discontinue NERLYNX in patients experiencing Grade 4 diarrhea or Grade ≥ 2 diarrhea that occurs after maximal dose reduction.
- **Hepatotoxicity:** Monitor liver function tests monthly for the first 3 months of treatment, then every 3 months while on treatment and as clinically indicated. Withhold NERLYNX in patients experiencing Grade 3 liver abnormalities and permanently discontinue NERLYNX in patients experiencing Grade 4 liver abnormalities.
- **Embryo-Fetal Toxicity:** NERLYNX can cause fetal harm. Advise patients of potential risk to a fetus and to use effective contraception.

ADVERSE REACTIONS: The most common adverse reactions ($\geq 5\%$) were diarrhea, nausea, abdominal pain, fatigue, vomiting, rash, stomatitis, decreased appetite, muscle spasms, dyspepsia, AST or ALT increase, nail disorder, dry skin, abdominal distention, weight decreased and urinary tract infection.

To report SUSPECTED ADVERSE REACTIONS, contact Puma Biotechnology, Inc. at 1-844-NERLYNX (1-844-637-5969) and www.NERLYNX.com or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

DRUG INTERACTIONS:

- Gastric acid reducing agents: Avoid concomitant use with proton pump inhibitors. When patients require gastric acid reducing agents, use an H₂-receptor antagonist or antacid. Separate NERLYNX by at least 3 hours with antacids. Separate NERLYNX by at least 2 hours before or 10 hours after H₂-receptor antagonists.
- Strong or moderate CYP3A4 inhibitors: Avoid concomitant use.
- Strong or moderate CYP3A4 inducers: Avoid concomitant use.
- P-glycoprotein (P-gp) substrates: Monitor for adverse reactions of narrow therapeutic agents that are P-gp substrates when used concomitantly with NERLYNX.

USE IN SPECIFIC POPULATIONS:

- **Lactation:** Advise women not to breastfeed.

Please see [Full Prescribing Information](#) for additional safety information.

The recommended dose of NERLYNX is 240 mg (six 40 mg tablets) given orally once daily with food, continuously for one year. Antidiarrheal prophylaxis should be initiated with the first dose of NERLYNX and continued during the first 2 months (56 days) of treatment and as needed thereafter.

To help ensure patients have access to NERLYNX, Puma has implemented the Puma Patient Lynx support program to assist patients and healthcare providers with reimbursement support and referrals to resources that can help with financial assistance. More information on the Puma Patient Lynx program can be found at www.NERLYNX.com or 1-855-816-5421.

Contact

Alan H. Auerbach or Mariann Ohanesian, Puma Biotechnology, Inc., +1 424 248 6500
info@pumabiotechnology.com
ir@pumabiotechnology.com

David Schull or Maggie Beller, Russo Partners, +1-212-845-4200
david.schull@russopartnersllc.com
maggie.beller@russopartnersllc.com